

BATTERY TERMINAL PROTECTION SPRAY

Page: 1

Compilation date: 21/01/22

Revision No: 3

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: BATTERY TERMINAL PROTECTION SPRAY

1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

- Company name: Safechem Limited
  - Drum House
  - Drum Industrial Estate
  - Birtley
  - Durham
  - DH2 1SR
  - Tel: 0191 4108668
  - Fax: 0191 4102934
  - Email: www.safechem.co.uk

## 1.4. Emergency telephone number

Emergency tel: 01914108668

Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Aerosol 2: H223; -: H229

Most important adverse effects: Flammable aerosol. Pressurised container: May burst if heated.

2.2. Label elements

Label elements:	
Hazard statements:	H223: Flammable aerosol.

H229: Pressurised container: May burst if heated. Hazard pictograms: GHS02: Flame



Signal words:WarningPrecautionary statements:P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition<br/>sources. No smoking.P211: Do not spray on an open flame or other ignition source.P211: Do not spray on an open flame or other ignition source.P251: Do not pierce or burn, even after use.P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122<br/>°F.

# BATTERY TERMINAL PROTECTION SPRAY

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

## 3.2. Mixtures

### Hazardous ingredients:

PROPANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	5-10%
BUTANE				
203-448-7	106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	5-10%

Contains: Petroleum Jelly

# Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Remove to fresh air Seek medical attention if recovery is not rapid or complete.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

**Inhalation:** No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

# BATTERY TERMINAL PROTECTION SPRAY

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Not applicable.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses.Skin protection:Protective clothing.

# BATTERY TERMINAL PROTECTION SPRAY

Page: 4

#### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### State: Aerosol

Solubility in water: Insoluble

### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

#### Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

# Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

# Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

# BATTERY TERMINAL PROTECTION SPRAY

**Page:** 5

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

14.1. UN number

UN number: UN1950

### 14.2. UN proper shipping name

Shipping name: Aerosols

## 14.3. Transport hazard class(es)

Transport class: 2

#### 14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

# BATTERY TERMINAL PROTECTION SPRAY

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

## Section 16: Other information

Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	2015/830.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	H220: Extremely flammable gas.	
	H223: Flammable aerosol.	
	H229: Pressurised container: May burst if heated.	
Legal disclaimer: The above information is believed to be correct but does not purport to be a		
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	